

WETLAND RATING FORM – WESTERN WASHINGTON

Name of wetland (if known): _____

Location: SEC: ____ TOWNSHIP: ____ RANGE: ____ (attach map with outline of wetland to rating form)

Person(s) Rating Wetland: _____ Affiliation: _____ Date of site visit: ____

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I ____ II ____ III ____ IV ____

Category I = Score ≥ 70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions

Score for Hydrologic Functions

Score for Habitat Functions

TOTAL score for functions

Category based on SPECIAL CHARACTERISTICS of wetland

I ____ II ____ Does not Apply ____

Final Category (choose the “highest” category from above)

--

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above			

Does the wetland being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That Need Special Protection, and That Are Not Included in the Rating	YES	NO
SP1. <i>Has the wetland been documented as a habitat for any Federally listed Threatened or Endangered plant or animal species (T/E species)?</i> For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		
SP2. <i>Has the wetland been documented as habitat for any State listed Threatened or Endangered plant or animal species?</i> For the purposes of this rating system, "documented" means the wetland is on the appropriate state database.		
SP3. <i>Does the wetland contain individuals of Priority species listed by the WDFW for the state?</i>		
SP4. <i>Does the wetland have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Vegetated Wetlands for Western Washington

Wetland Name: _____

Date: _____

1. Are the water levels in the wetland usually controlled by tides (i.e. except during floods)?

NO – go to 2

YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).*

2. Is the topography within the wetland flat and precipitation is only source (>90%) of water to it.

NO – go to 3

YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the wetland **meet both** of the following criteria?

____ The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) where at least 20 acres (8 ha) are permanently inundated (ponded or flooded);

____ At least 30% of the open water area is deeper than 6.6 ft (2 m)?

NO – go to 4

YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the wetland **meet all** of the following criteria?

____ The wetland is on a slope (*slope can be very gradual*),

____ The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.

____ The water leaves the wetland **without being impounded**?

NOTE: *Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks(depressions are usually <3ft diameter and less than 1 foot deep).*

NO - go to 5

YES – The wetland class is **Slope**

5. Is the wetland in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river? The flooding should occur at least once every two years, on the average, to answer “yes.” *The wetland can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the wetland in a topographic depression in which water ponds, or is saturated to the surface, at some time of the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7 **YES** – The wetland class is **Depressional**

7. Is the wetland located in a very flat area with no obvious depression and no stream or river running through it and providing water. The wetland seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8 **YES** – The wetland class is **Depressional**

8. Your wetland seems to be difficult to classify. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. Sometimes we find characteristics of several different hydrogeomorphic classes within one wetland boundary. Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland being rated. If the area of the second class is less than 10% classify the wetland using the first class.

<i>HGM Classes Within a Delineated Wetland Boundary</i>	<i>Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D Depressional and Flats Wetlands		Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
D	D 1. Does the wetland have the <u>potential</u> to improve water quality? (see p. 38)	
D	D 1.1 Characteristics of surface water flows out of the wetland: Wetland is a depression with no surface water outlet points = 3 Wetland has an intermittently flowing, or highly constricted, outlet points = 2 Wetland has an unconstricted surface outlet points = 1 Wetland is flat and has no obvious outlet and/or outlet is a ditch points = 1	
D	D 1.2 The soil 2 inches below the surface is clay, organic, or smells anoxic (hydrogen sulfide or rotten eggs). YES points = 4 NO points = 0	
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest class): Wetland has persistent, ungrazed, vegetation > = 95% of area points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area points = 1 Wetland has persistent, ungrazed vegetation < 1/10 of area points = 0	
D	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > ½ total area of wetland points = 4 Area seasonally ponded is > ¼ total area of wetland points = 2 Area seasonally ponded is < ¼ total area of wetland points = 0 NOTE: See text for indicators of seasonal and permanent inundation..	
D	Total for D 1 Add the points in the boxes above	
D	D 2. Does the wetland have the <u>opportunity</u> to improve water quality? (see p. 44) Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? Note which of the following conditions provide the sources of pollutants. — Grazing in the wetland or within 150 ft — Untreated stormwater discharges to wetland — Tilled fields or orchards within 150 ft of wetland — A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging — Residential, urban areas, golf courses are within 150 ft of wetland — Wetland is fed by groundwater high in phosphorus or nitrogen — Other _____ YES multiplier is 2 NO multiplier is 1	multiplier _____
D	TOTAL - Water Quality Functions Multiply the score from D1 by D2 Add score to table on p. 1	

D Depressional and Flats Wetlands		Points
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
	D 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion? (see p. 46)	
D	D 3.1 Characteristics of surface water flows out of the wetland Wetland has no surface water outlet points = 4 Wetland has an intermittently flowing, or highly constricted, outlet points = 2 Wetland is flat and has no obvious outlet and/or outlet is a small ditch points = 1 Wetland has an unconstricted surface outlet points = 0	
D	D 3.2 Depth of storage during wet periods <i>Estimate the height of ponding above the bottom of the outlet</i> Marks of ponding are 3 ft or more above the surface points = 7 The wetland is a "headwater" wetland" points = 5 Marks of ponding between 2 ft to < 3 ft from surface points = 5 Marks are at least 0.5 ft to < 2 ft from surface points = 3 Wetland is flat but has small depressions on the surface that trap water points = 1 Marks of ponding less than 0.5 ft points = 0	
D	D 3.3 Contribution of wetland to storage in the watershed <i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland itself.</i> The area of the basin is less than 10 times the area of wetland points = 5 The area of the basin is 10 to 100 times the area of the wetland points = 3 The area of the basin is more than 100 times the area of the wetland points = 0 Wetland is in the FLATS class (basin = the wetland, by definition) points = 5	
D	Total for D 3 <i>Add the points in the boxes above</i>	
D	D 4. Does the wetland have the <u>opportunity</u> to reduce flooding and erosion? (see p. 49) Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater. <i>Note which of the following indicators of opportunity apply.</i> — Wetland is in a headwater of a river or stream that has flooding problems — Wetland drains to a river or stream that has flooding problems — Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems — Other _____ YES multiplier is 2 NO multiplier is 1	multiplier _____
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	

August 2004

R	Riverine and Freshwater Tidal Fringe Wetlands	Points
	HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion	
	R 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion? (see p. 54)	
R	R 3.1 Characteristics of the overbank storage the wetland provides: <i>Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (width of wetland)/(width of stream).</i> If the ratio is more than 20 points = 9 If the ratio is between 10 – 20 points = 6 If the ratio is 5- <10 points = 4 If the ratio is 1- <5 points = 2 If the ratio is < 1 points = 1	
R	R 3.2 Characteristics of vegetation that slow down water velocities during floods: <i>Treat large woody debris as “forest or shrub”. Choose the points appropriate for the best description.</i> Forest or shrub for >1/3 area OR Emergent plants > 2/3 area points = 7 Forest or shrub for > 1/10 area OR Emergent plants > 1/3 area points = 4 Vegetation does not meet above criteria points = 0	
R	<i>Add the points in the boxes above</i>	
R	R 4. Does the wetland have the <u>opportunity</u> to reduce flooding and erosion? (see p. 57) Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. <i>Note which of the following conditions apply.</i> — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding. — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding — Other _____ (Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike) YES multiplier is 2 NO multiplier is 1	multiplier _____
R	TOTAL - Hydrologic Functions Multiply the score from R 3 by R 4 <i>Add score to table on p. 1</i>	

Comments

L	Lake-fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
L	L 1. Does the wetland have the <u>potential</u> to improve water quality? (see p. 59)	
L	L 1.1 Average width of vegetation along the lakeshore : Vegetation is more than 33ft (10m) wide points = 6 Vegetation is more than 16 (5m) wide and <33ft points = 3 Vegetation is more than 6ft (2m) wide and <16 ft points = 1 Vegetation is less than 6 ft wide points = 0	
L	L 1.2 Characteristics of the vegetation in the wetland: <i>choose the appropriate description that results in the highest points, \and do not include any open water in your estimate of coverage. In this case the herbaceous plants can be either the dominant form (called emergent class) or as an understory in a shrub or forest community.</i> Herbaceous plants cover >90% of the vegetated area points = 6 Herbaceous plants cover >2/3 of the vegetated area points = 4 Herbaceous plants cover >1/3 of the vegetated area points = 3 Other vegetation that is not aquatic bed in > 2/3 vegetated area points = 3 Other vegetation that is not aquatic bed in > 1/3 vegetated area points = 1 Aquatic bed cover > 2/3 of the vegetated area points = 0	
L	Add the points in the boxes above	
L	L 2. Does the wetland have the <u>opportunity</u> to improve water quality? (see p. 61) Answer YES if you know or believe there are pollutants in the lake water, or surface water flowing through the wetland to the lake is polluted. <i>Note which of the following conditions provide the sources of pollutants.</i> — Wetland is along the shores of a lake or reservoir that does not meet water quality standards — Grazing in the wetland or within 150ft — Polluted water discharges to wetland along upland edge — Tilled fields or orchards within 150 feet of wetland — Residential or urban areas are within 150 ft of wetland — Parks with grassy areas that are maintained, ballfields, golf courses (all within 150 ft. of lake shore) — Power boats with gasoline or diesel engines use the lake — Other _____ YES multiplier is 2 NO multiplier is 1	multiplier _____
L	<u>TOTAL</u> - Water Quality Functions Multiply the score from L1 by L2 <i>Add score to table on p. 1</i>	

Comments

L Lake-fringe Wetlands		Points
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce shoreline erosion		
L	L 3. Does the wetland have the <u>potential</u> to reduce shoreline erosion? (see p. 62)	
L	<p>L 3 Average width and characteristics of vegetation along the lakeshore (do not include aquatic bed): (<i>choose the highest scoring description that matches conditions in the wetland</i>)</p> <p>> ¾ of fringe vegetation is shrubs or trees at least 33 ft (10m) wide points = 6</p> <p>> ¾ of fringe vegetation is shrubs or trees at least 6 ft. (2 m) wide points = 4</p> <p>> ¼ of fringe vegetation is shrubs or trees at least 33 ft (10m) wide points = 4</p> <p>Fringe vegetation is at least 6 ft (2m) wide points = 2</p> <p>Fringe vegetation is less than 6 ft (2m) wide points = 0</p>	
L	<i>Record the points from the box above</i>	
L	<p>L 4. Does the wetland have the <u>opportunity</u> to reduce erosion? (see p. 63)</p> <p>Are there features along the shore that will be impacted if the shoreline erodes? <i>Note which of the following conditions apply.</i></p> <p>— There are human structures and activities along the upland edge of the wetland (buildings, fields) that can be damaged by erosion.</p> <p>— There are undisturbed natural resources along the upland edge of the wetland (e.g. mature forests other wetlands) than can be damaged by shoreline erosion</p> <p>— Other _____</p> <p>YES multiplier is 2 NO multiplier is 1</p>	<p>multiplier</p> <p>_____</p>
L	<p>TOTAL - Hydrologic Functions Multiply the score from L 3 by L 4 <i>Add score to table on p. 1</i></p>	

Comments

S Slope Wetlands		Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
S	S 1. Does the wetland have the <u>potential</u> to improve water quality? (see p. 64)	
S	S 1.1 Characteristics of average slope of wetland: Slope is 1% or less (<i>a 1% slope has a 1 foot vertical drop in elevation for every 100 ft horizontal distance</i>) points = 3 Slope is 1% - 2% points = 2 Slope is 2% - 5% points = 1 Slope is greater than 5% points = 0	
S	S 1.2 The soil 2 inches below the surface is clay, organic, or smells anoxic (hydrogen sulfide or rotten eggs). YES = 3 points NO = 0 points	
S	S 1.3 Characteristics of the vegetation in the wetland that trap sediments and pollutants: <i>Choose the points appropriate for the description that best fits the vegetation in the wetland. Dense vegetation means you have trouble seeing the soil surface.</i> Dense, ungrazed, herbaceous vegetation > 90% of the wetland area points = 6 Dense, ungrazed, herbaceous vegetation > 1/2 of area points = 3 Dense, woody, vegetation > 1/2 of area points = 2 Dense, ungrazed, herbaceous vegetation > 1/4 of area points = 1 Does not meet any of the criteria above for vegetation points = 0	
S	Total for S 1 <i>Add the points in the boxes above</i>	
S	S 2. Does the wetland have the <u>opportunity</u> to improve water quality? (see p. 67) Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants.</i> — Grazing in the wetland or within 150ft — Untreated stormwater discharges to wetland — Tilled fields, logging, or orchards within 150 feet of wetland — Residential, urban areas, or golf courses are within 150 ft upslope of wetland — Other _____ YES multiplier is 2 NO multiplier is 1	multiplier _____
S	TOTAL - Water Quality Functions Multiply the score from S1 by S2 <i>Add score to table on p. 1</i>	

Comments


S Slope Wetlands		Points
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion		
	S 3. Does the wetland have the <u>potential</u> to reduce flooding and stream erosion? (see p. 68)	
S	<p>S 3.1 Characteristics of vegetation that reduce the velocity of surface flows during storms. <i>Choose the points appropriate for the description that best fit conditions in the wetland.</i></p> <p>Dense, uncut, rigid vegetation covers > 90% of the area of the wetland. (stems of plants should be thick enough (usually > 1/8in), or dense enough, to remain erect during surface flows) points = 6</p> <p>Dense, uncut, rigid vegetation > 1/2 area of wetland points = 3</p> <p>Dense, uncut, rigid vegetation > 1/4 area points = 1</p> <p>More than 1/4 of area is grazed, mowed, tilled or vegetation is not rigid points = 0</p>	
S	<p>S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows:</p> <p>The slope wetland has small surface depressions that can retain water over at least 10% of its area.</p> <p>YES points = 2</p> <p>NO points = 0</p>	
S	Add the points in the boxes above	
S	<p>S 4. Does the wetland have the <u>opportunity</u> to reduce flooding and erosion? (see p. 70)</p> <p>Is the wetland in a landscape position where the reduction in water velocity it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? <i>Note which of the following conditions apply.</i></p> <p>— Wetland has surface runoff that drains to a river or stream that has flooding problems</p> <p>— Other _____</p> <p>(Answer NO if the major source of water is controlled by a reservoir (e.g. wetland is a seep that is on the downstream side of a dam))</p> <p>YES multiplier is 2 NO multiplier is 1</p>	multiplier _____
S	<p>TOTAL - Hydrologic Functions Multiply the score from S 3 by S 4</p> <p>Add score to table on p. 1</p>	

Comments


<i>These questions apply to wetlands of all HGM classes.</i>		Points																								
HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat																										
H 1. Does the wetland have the <u>potential</u> to provide habitat for many species?																										
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) <i>Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or ¼ acre.</i></p> <p> <input type="checkbox"/> Aquatic bed <input type="checkbox"/> Emergent plants <input type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <table> <tr> <td>4 types or more</td> <td>points = 4</td> </tr> <tr> <td>3 types</td> <td>points = 2</td> </tr> <tr> <td>2 types</td> <td>points = 1</td> </tr> <tr> <td>1 type</td> <td>points = 0</td> </tr> </table>		4 types or more	points = 4	3 types	points = 2	2 types	points = 1	1 type	points = 0																	
4 types or more	points = 4																									
3 types	points = 2																									
2 types	points = 1																									
1 type	points = 0																									
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) <i>Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</i></p> <table> <tr> <td><input type="checkbox"/> Permanently flooded or inundated</td> <td>4 or more types present</td> <td>points = 3</td> </tr> <tr> <td><input type="checkbox"/> Seasonally flooded or inundated</td> <td>3 types present</td> <td>points = 2</td> </tr> <tr> <td><input type="checkbox"/> Occasionally flooded or inundated</td> <td>2 types present</td> <td>point = 1</td> </tr> <tr> <td><input type="checkbox"/> Saturated only</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> Lake-fringe wetland = 2 points</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> Freshwater tidal wetland = 2 points</td> <td></td> <td></td> </tr> </table>		<input type="checkbox"/> Permanently flooded or inundated	4 or more types present	points = 3	<input type="checkbox"/> Seasonally flooded or inundated	3 types present	points = 2	<input type="checkbox"/> Occasionally flooded or inundated	2 types present	point = 1	<input type="checkbox"/> Saturated only			<input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland			<input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland			<input type="checkbox"/> Lake-fringe wetland = 2 points			<input type="checkbox"/> Freshwater tidal wetland = 2 points			
<input type="checkbox"/> Permanently flooded or inundated	4 or more types present	points = 3																								
<input type="checkbox"/> Seasonally flooded or inundated	3 types present	points = 2																								
<input type="checkbox"/> Occasionally flooded or inundated	2 types present	point = 1																								
<input type="checkbox"/> Saturated only																										
<input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland																										
<input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland																										
<input type="checkbox"/> Lake-fringe wetland = 2 points																										
<input type="checkbox"/> Freshwater tidal wetland = 2 points																										
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (<i>different patches of the same species can be combined to meet the size threshold</i>) <i>You do not have to name the species.</i> <i>Do not include Eurasian Milfoil, reed canarygrass, purple loosestrife, Canadian Thistle</i></p> <p><i>List species below if you want to:</i></p> <table> <tr> <td>If you counted:</td> <td>> 19 species</td> <td>points = 2</td> </tr> <tr> <td></td> <td>5 - 19 species</td> <td>points = 1</td> </tr> <tr> <td></td> <td>< 5 species</td> <td>points = 0</td> </tr> </table>		If you counted:	> 19 species	points = 2		5 - 19 species	points = 1		< 5 species	points = 0																
If you counted:	> 19 species	points = 2																								
	5 - 19 species	points = 1																								
	< 5 species	points = 0																								

H 1.4. Interspersion of habitats (*see p. 76*)


Decide from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.






None = 0 points




Low = 1 point



Moderate = 2 points



High = 3 points



[riparian braided channels]

NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".

H 1.5. Special Habitat Features: (*see p. 77*)

Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.

- ☐ Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long).
- ☐ Standing snags (diameter at the bottom > 4 inches) in the wetland
- ☐ Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)
- ☐ Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present
- ☐ At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (*structures for egg-laying by amphibians*)
- ☐ Invasive plants cover less than 25% of the wetland area in each stratum of plants

H 1. TOTAL Score - potential for providing habitat
Add the scores in the column above

Comments

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 <u>Buffers</u> (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of “undisturbed.”</i></p> <ul style="list-style-type: none"> — 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5 — 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference. Points = 4 — 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference. Points = 4 — 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference, . Points = 3 — 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3 <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <ul style="list-style-type: none"> — No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK. Points = 2 — No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK. Points = 2 — Heavy grazing in buffer. Points = 1 — Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0. — Buffer does not meet any of the criteria above. Points = 1 	
<p>H 2.2 <u>Corridors and Connections</u> (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <ul style="list-style-type: none"> within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres? <p style="text-align: center;">YES = 1 point NO = 0 points</p>	

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see p. 82)

Which of the following priority habitats are within 330ft (100m) of the wetland?

(see text for a more detailed description of these priority habitats)

___ **Riparian:** The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.

___ **Aspen Stands:** Pure or mixed stands of aspen greater than 0.8 ha (2 acres).

___ **Cliffs:** Greater than 7.6 m (25 ft) high and occurring below 5000 ft.

___ **Old-growth forests:** (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.

___ **Mature forests:** Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.

___ **Prairies:** Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.

___ **Talus:** Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.

___ **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages

___ **Oregon white Oak:** Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.

___ **Urban Natural Open Space:** A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other *priority habitats*, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.

___ **Estuary/Estuary-like:** Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5ppt. during the period of average annual low flow. Includes both estuaries and lagoons.

___ **Marine/Estuarine Shorelines:** Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).

If wetland has **3 or more** priority habitats = **4 points**

If wetland has **2** priority habitats = **3 points**

If wetland has **1** priority habitat = **1 point**

No habitats = 0 points

<p>H 2.4 Wetland Landscape (<i>choose the one description of the landscape around the wetland that best fits</i>) (<i>see p. 84</i>)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development. points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile. points = 0</p>	
<p style="text-align: right;">H 2. TOTAL Score - opportunity for providing habitat <i>Add the scores in the column above</i></p>	
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.

Wetland Type	Category
<p><i>Check off any criteria that apply to the wetland. Circle the appropriate Category when the appropriate criteria are met.</i></p> <p>SC 1.0 Estuarine wetlands (see p. 86)</p> <p>Does the wetland meet the following criteria for Estuarine wetlands?</p> <ul style="list-style-type: none"> — The dominant water regime is tidal, — Vegetated, and — With a salinity greater than 0.5 ppt. <p>YES = Go to SC 1.1 NO ____</p>	
<p>SC 1.1 Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?</p> <p>YES = Category I NO go to SC 1.2</p>	Cat. I
<p>SC 1.2 Is the wetland at least 1 acre in size and meets at least two of the following three conditions? YES = Category I NO = Category II</p> <ul style="list-style-type: none"> — The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II). The area of <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre. — At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. — The wetland has at least 2 of the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands. 	<p>Cat. I</p> <p>Cat. II</p> <p>Dual rating</p> <p>I/II</p>

<p>SC 2.0 Natural Heritage Wetlands (<i>see p. 87</i>) Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>) S/T/R information from Appendix D ____ or accessed from WNHP/DNR web site ____</p> <p>YES ____ – contact WNHP/DNR (see p. 79) and go to SC 3.2 NO ____</p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species? YES = Category I NO ____</p>	<p>Cat. I</p>
<p>SC 3.0 Bogs (<i>see p. 87</i>) Does the wetland (or part of the wetland) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> 1. Does the wetland have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes - go to Q. 3 No - go to Q. 2 2. Does the wetland have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond? Yes - go to Q. 3 No - Is not a bog for purpose of rating 3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)? Yes – Is a bog for purpose of rating No - go to Q. 4 NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog. 3. Is the wetland forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)? <p>4. YES = Category I No ____ Is not a bog for purpose of rating</p>	<p>Cat. I</p>

<p>SC 6.0 Interdunal Wetlands (<i>see p. 93</i>)</p> <p>Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?</p> <p>YES - go to SC 6.1 NO __ not an interdunal wetland for rating</p> <p><i>If you answer yes you will still need to rate the wetland based on its functions.</i></p> <p>In practical terms that means the following geographic areas:</p> <ul style="list-style-type: none"> • Long Beach Peninsula- lands west of SR 103 • Grayland-Westport- lands west of SR 105 • Ocean Shores-Copalis- lands west of SR 115 and SR 109 <p>SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is once acre or larger?</p> <p>YES = Category II NO – go to SC 6.2</p> <p>SC 6.2 Is the wetland between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?</p> <p>YES = Category III</p>	<p></p> <p>Cat. II</p> <p>Cat. III</p>
<p>Category of wetland based on Special Characteristics</p> <p><i>Choose the “highest” rating if wetland falls into several categories, and record on p. 1.</i></p> <p>If you answered NO for all types enter “Not Applicable” on p.1</p>	<p></p>